


Am in augural diportation

Encumonia biliosas

Samus Maryo



## Pneumonia biliosa

This disease comes on, with languor, and debility, which are soon succeeded, by chills, flying pains all over the body; believes womiting, and furging, and Sometimes diarrhow and Colice; which are followed in a Short time by quick breathing, ausiderable thirst, head ache, ands other feverish symptoms. In a fiew hours the us pirations, becomes more difficult and laborious; The patient being seized with pain in the side, extending havards the clavicle, and shoulder, and downwards along the cartilages of the false ribs: Sometimes darting from the Sternum, tow-= ands the dorsa's vertibre; attended at this time, with great difficulty, in making a full inspir ation, and with Considerable pains in aughing.

need mount and dentities of dearlined and the troubling, and all there had note and other Strongle Manifemer. The action his walled

These are the symptoms, which for the most part appear, but the patient will sometimes complaine of heaviness, and offeression in the breast, probably defending whow that State of the lungs, which the French experds by the word engorgement, and which we mut with in periponeumonia notha; Sometimes partitation of the heart, pretimatural heat, or Cold, and accompanying Sympetans. Clighons in treating of this disease, as it appeared in Minuxeas, observes that it was not un common for the pains to move about in the thorax from one Side, to the other, Sometimes they would Shift from from the breast, to the limbs, and suddenly return to the burdles; in some rare instances after leaving one side, they unexpectedly attached the other, and thus proved fatal in a short line. The left side of the therax was not so liable to be affected as the Mer; probably the effect, Says La Rush of

ition or lette, are a commission durafteret. on feder they wonderstilly attacked the the standard the free the father we have him. The first of the think to the triples to the applied and

the combination of bilious fever, which disposed to hepalic pains, and obstructions.

Whichsoever Side was affected, the sick lay easiest on the opposite: though the generality were obliged to lie whom their backs, or to tit who in bead, with Their heads wich. The external heat was in Some cases left than natural, but for the most part it was very severe; the pulses was variable not only in different persons; but in the same person, at differ out times, there was a difference in respect to Strong - the in different arms, that of the pained side being most obscure a natural pulse indicated great danger. Nor was the colour or consistence of the bloods to be trusted, in many it had a white, or pale yellow colour the Serum being of the Same Complexion, but for the most part, it was red or floria. It frequently changed its affuarance in a fiew hours. It husto obs over that from the states of Skin, the pulse, and


the state on his was afretta. The site the restrict on the expected their the war after wealth the property Their head of the other of the dist will in division was ina love the hules and which not only met stance a rection of feeter is neverted in it days in the tre deport it was out in the first of the in the digest of the marie in a line hand. It have

the blood, that this disease partoots a good deal of as matignant nature. The changes in the appearances of the blood, drawn at different times, Show how much they are influenced by the varying states, and force of the blood vessels.

The patient being able to slupe sound in as natural posture, and to make a full inspiration with ease while his thirst, and inwards heat and moderate, are fares urable dy enfetous. In this, as in most febrile diseases, there is some remission in the morning; and about the third, or fourth day, In Clighorn observed do considerable remission, and wore sometimes a total afsation of every violent symptom; but this was run ashed by him, to be a treacherous remission; for on the fourth or fifth, as delirium suddenly came on. or the breaking become more difficult than over, and one, or both of those symptoms increasing hourly, the patient enfired in a day or two either malignoor nature. The changes in the will will said the of the starte resents. the wine Interior at a fine field at the south fills of desirable

sufficated or raving made When Sufficients evacuations have not been made in the early stage of the complaint; nature sometimes releives her self by Some icerdine, as a copious sweats a unsiderable expectoration, or a ducharge of biles and thus the life of the patient, may be savedo. Dissections exhibit every appearance which we must with in violent inflammation of the lungs, and one bilions firm, as absciss in the substance of the luugs, and liver, abhisions, suffuration, gangrines, and a membrane, the effect of inflammations. In the fineumonias biliosas or bilious plumisy of authors: the System labours under two distincts and violent morbid actions; the one in the liver and I tomach, the other in the lungs.

This disease appears after the season of the year; when the bilious or the yellow four privails, it of the attacks those, who have been debitetated by wither



of the above mentioned fevers, hence it occurs after autumnal epidemies. Those persons who have escap cas the bilious fever in the fall, if they have been enter = sed to its remote Cause; and generally affected with the preumonice believes in the winter, and spring. It is influenced in its violence by the change of the atmosphere, and La Sydenhaus where the aling of it, observes; that who ever in the curd of diseases, has not always in view the Constitution of the atmosphere, in as much as it tends to produced Some particular opidemie, and likewise to reduce all the Estimpary diseases, to its forms, and likenis, procuas in an uncertains and fallacions manner." This rumarks of his will apply very well to the amplaint; and from what has being said of its dop endance whose the same unote Cause producing the bilious, and yellow four; it must be vir =

entermina excellenced. The ser persone to be the THE TO THE THE PRINTER AND STUDIETE SHEETE STEETE STEETE of the above the fire for and the water water is 

as very sudden changes in the weather, who applied to the body, when heated, violent exercise, too ling and loud speaking, 40 may throw the system into unhealthy and irregular action, and thus produced the disease.

As the much with the synochus fortis, synochap, typhina, and the typhin pulses our remedies much be various or suited to the varying and opposite states of the system.

where the puter is synoches or synochus fortis att made south symptoms in dicating great mortice or cutement, Blora letting should be carried to as very great extent it should be repeated as often as occasion may require, and if presible, the blood should be around off early in the disease.

I blightered after after haming well acquainted with its dangerous ton dency, and the formicable, and was off stat symptoms, which is almost wery

The state of the second so 10 Extensing, When hours of him to be Englander the Marin Far a win of soul on the property

Caso occured, and that too, in a very there line, unly sufficient evacuations were made, was in the habit of taking from thirty, to firsty uners, of bloods from the patient, in the firsts twenty four hours of his attendance, provided he was called in time. Mathi, very great defundance in and air states of the system, is to be placed in the lancet, still our fractice would be uncertain were well to rely solely in it.

Purges from the great Secretion, and exerction of bile, are of essential Services, they should be of Calonel alone, in the dose of twenty or thirty grains to an abult, or they should be Calonel, ambiend with Salap, rheubard, or the may apple of our country. It is sometimes massary to give them every day, or every, other day, and here as in other world diseases they will furall more effectually after levelalling

the state of the state of the state of the state of

Blisters may likewise be applied, they should as Lor bullion observes in all pulmonic affections be largo, it will be improfers to use them untill sufficient evacuations have been inade, unless indude, in some Cases, whom they may be applied in the very first stage.

Conclies have been highly wermmended and they Certainly and intitled to our allentin; tul shoulds never be usedo, when there is great morbed action and this must be reduced by the above deptiting umedies previous to their employment, no support of what has beno said of the officacy of omclies, have been informed by La Henry Luckson of Savanaho, that the negroes, who works in the low marshy grounds man that tring and who are often affected with the bilion pleurisge in the winter and spring, never uguiro mire than and small bluding, after promising this, and

of day on the state of the state of the state the

unctic of the larters automonic, appears to act like a charm, removing all the travelerant symptoms and curing the patient in a very short time.

accurainstance morthy of notice is, that they are sellow affected with the fevers which prevail in the cutum, and which prove so falab to the sorbitis, but immediatly whose the approach of cold weather, and during its continuance, they are suffect to the precumenia beliesa, and are and as above mentioned.

In that form of the disease in which the pat - int is affected with langues, considerable cubility, and were a disposition to faint afine bring moved, and in which the pulse in typhica, and typhics, our remedies must be the reverse, of what is found so espectally, neapsary, in the opposite state of the Tystem, above mentioned. Susting a for the Lancet, the warriers stimulants as

a Chiloria commence of the the with different for millione the statement where is not proper desirable to this date cell of the menoneness well sole and and as about 100 to the met. water a faired of care the man have the the wolat: ach: opium, the Virginia Inahe woth

Before giving any one, or all of these it will be proper to administer are benetic; from what I have seen of the grow effects of Camphor along, and when Cambined with Calende, in biline for attended with debility, Thave no doubt but that it will be found to valuable remay and this opinions of its probable efficacy is strong thing of from having uside it myself in artain stayes of meaning uside it myself in artain stayes of meaning where it myself in antage. Bustirs may be applied if the paine is Considerable.

he way stay of the complaint, if the carpe, and difficulty in infectorating, should prove trans - the ame, demutants may be given - und spiates may likewise be implayed for the same parties of some forward banks

and a heard to interfere time should hope them

ochelity is great, or where with this, the deseases puts on the form of an intermedial they, Certainly may be unce with advantage to the patient,

